

Portable Air Cooler

FAB SHEET

FEATURES

- ✓ 3 sided air inlet
- ✓ Control panel
- ✓ Low wattage motor
- ✓ PP body & Galvanised steel tank
- ✓ Adjustable horizontal louvres
- ✓ Automatic swing louvres
- ✓ Full function remote control
- ✓ 3 Speeds
- ✓ Fan only option
- ✓ Water level indicator
- ✓ Removable panel
- ✓ Portable on wheels

ADVANTAGES

- ✓ Draws in more fresh air
- ✓ Easily operated and monitored
- ✓ Uses less power
- ✓ Heavy duty construction
- ✓ Ability to direct air flow
- ✓ Ability to cover a wider area
- ✓ Convenient
- ✓ Multiple airflow stages
- ✓ Dual purpose
- ✓ Able to monitor water levels
- ✓ Ease of cleaning and maintenance
- ✓ Easy to move and relocate

BENEFITS

- ✓ Better air supplied
- ✓ No specific training required
- ✓ Cost savings
- ✓ Product longevity
- ✓ Control of the cool air flow
- ✓ Reduced workflow interruption
- ✓ Easy to use
- ✓ Cooling or air circulation
- ✓ Continued cooling efficiencies
- ✓ Product longevity
- ✓ Ability to move to specific work areas



Applications:

- ☉ Warehouses
- ☉ Restaurants, Cafes & Pubs
- ☉ Workshops
- ☉ Offices
- ☉ Factories
- ☉ Showrooms
- ☉ Agricultural
- ☉ Events (tents/marquees)

Portable Air Cooler

TECHNICAL DATA SHEET

SPECIFICATION	
Model No	PAC280-A
Fan Type	Axial
Power	0.28KW
Voltage	220~240V/50Hz
Connection	10A Plug
Current (A)	1.30
Speed RPM	6P
Insulation class	F
IP Rating	IP64
Airflow L/s	2111
dBa	<65
Material of Blades	ABS
Material of Body	PP body + Galvanised Steel Tank
Water Tank (L)	120
Water Consumption (L/H)	10
Dimensions (mm)	840(L)x480(D)x1390(H)
Air Supply Distance (m)	11
Cooling area (m ²)	up to 50
Weight (kg)	38